

- 1-2 ABOUT
 - **3 MUNICIPAL SYSTEM FEATURES**
 - **4 MUNICIPAL SYSTEM COMPONENTS**
- 5-7 LIGHT SYSTEMS
 - 8 SMARTLOGIC[™]
- 9-10 PROGRAMABLE FLASHER SNOWAWAY[™] HEATED LENS
- 11-12 400 SERIES SUPER-LED® BACK-UP LIGHT
- 13-14 400 V-SERIES[™] MUNICIPAL OPTIONS
- 15-16 NASCAR®



About Wholen Engineering has been designing and

Whelen Engineering has been designing and manufacturing professional lighting system solutions for over fifty years. Engineered to meet all demands of the heavy-duty truck market, Whelen is proud to provide lighting solutions that are designed for all operating conditions.

Providing safe, reliable systems to both operators and the motoring public is at the forefront of Whelen's mission. As an industry leader, Whelen prides itself in providing flexible system programmability and introducing innovative, high quality products for further safety enhancement.

We appreciate your loyalty as we continue to drive innovation.



TISSE



MUNICIPAL SYSTEM FEATURES

レインという

Optics

- Certified by an AMECA-accredited testing laboratory to meet or exceed SAE warning lighting requirements in the appropriate specified safety colors
- Lighting profile easily defines the width and height of a highway vehicle
- Wide-angle Super-LED[®] lightheads ensure visibility when dump body is raised or lowered, including forward dump bodies
- All warning lighthead colors are Amber. For other colors, contact factory
- Multiple flash patterns and sequence options provide improved reference for motorists in determining the distance to and location of maintenance vehicles

Design

- Pure copper stranded conductors used in all TPE cables are tin coated, providing superior longevity
- A 12" protective section of flex-tubing and coupling to the housing prevents cable chafing
- All rear lightheads are furnished with Deutsch[®] waterproof connectors
- Each system includes a complete installation kit, including cable harnesses
- 400 and 700 Series lighthead housings are 7 gauge welded stainless steel



Municipal System Components

Front System Components

Front system components are offered in four Super-LED[®] models with combined 360° warning visibility. Includes 60' of heavy-duty TPE cable.



3-3/4" (95mm) H x 9-5/16" (236mm) D x 12-5/16" (312mm) L

3-3/4" (95mm) H x 10-3/4" (272mm) D x 10" (254mm) L

3-5/8" (92mm) H x 8-1/4" (209mm) D x 8-1/4" (209mm) L

4-1/2" (102mm) H x 7-3/16" (182mm) Dia.

Rear Lightheads

Rear lightheads are offered in three sizes. Super-LED lightheads have specially designed lenses for wide light output. All lightheads are supplied with Deutsch[®] waterproof connectors.



400 Series

4-15/16" (124mm) H x 3-3/16" (77mm) W



7-1/4" (184mm) H x 3-1/16" (78mm) W

Rear Housings

Rear mounted lightheads include 30' heavy-duty, oil resistant TPE jacketed cable with strain relief flex-tubing and couplings that provide added safeguard against the elements.



Height: Single: 5-7/8" (149mm) Double: 11-3/8" (290mm) Triple: 17" (430mm) Width: 3-1/2" (88mm) Depth: 4-3/4" (120mm)



Height: Single: 8-3/8" (213mm) Double: 16-1/4" (412mm) Triple: 24" (608mm) Width: 3-1/2" (88mm) Depth: 5" (127mm)



WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.



Light Systems



SYS401 & SYS701

4 Light System


Two Micro Freedom[™] lighthead assemblies with extended corner modules and two rear lighthead options

SYSTEM 401

with 400 Series Lightheads

SY5401A	Warning	
SYS401B	Warning and brake/tail/turn	
SY5401D	Warning, brake/tail/turn, and back-up	





SYSTEM 701 with 700 Series Lightheads

with 700 00	nes Eightheads
SYS701A	Warning
SYS701B	Warning and brake/tail/turn
SYS701D	Warning, brake/tail/turn, and back-up

SYS402 & SYS702


3 Light System One L31 remote beacon and two rear lighthead options

SYSTEM 402

with 400 Series Lightheads

5Y5402A	Warning
SY5402B	Warning and brake/tail/turn
SY5402D	Warning, brake/tail/turn, and back-up





SYSTEM 702 with 700 Series Lightheads

SYS702A	Warning
SYS702B	Warning and brake/tail/turn
SYS702D	Warning, brake/tail/turn, and back-up



WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

SYS103

2 Light System Two Micro Freedom[™] lighthead assemblies with extended corner modules.

SYSTEM 103

SYS103

Two front Amber warning lights

SYS404 & SYS704

2 Light System Two rear lighthead options

SYSTEM 404

with 400 Series Lightheads

SY5404A	Warning
SYS404B	Warning and brake/tail/turn
SYS404D	Warning, brake/tail/turn, and back-up

SYSTEM 704

with 700 Series Lightheads

SYS704A	Warning
SYS704B	Warning and brake/tail/turn
SYS704D	Warning, brake/tail/turn, and back-up

SYS405 & SYS705


4 Light System Two Micro 400s and two rear lighthead options

SYSTEM 405

with 400 Series Lightheads

SYS405A	Warning	
SYS405B	Warning and brake/tail/turn	
SYS405D	Warning, brake/tail/turn, and back-up	





SYSTEM 705

with 700 Series Lightheads

SYS705A	Warning	
SYS705B	Warning and brake/tail/turn	
SYS705D	Warning, brake/tail/turn, and back-up	

SYS406 & SYS706


4 Light System Two L31 remote beacons and two rear lighthead options

SYSTEM 406

with 400 Series Lightheads

SYS406A	Warning	
SYS406B	Warning and brake/tail/turn	
SYS406D	Warning, brake/tail/turn, and back-up	





SYSTEM 706 with 700 Series Lightheads

SYS706A	Warning
SYS706B	Warning and brake/tail/turn
SYS706D	Warning, brake/tail/turn, and back-up

WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.





SYS108 2 Light System Two Micro 400s

SYSTEM 108

SYS108

Two front Amber warning lights





SYS410 & SYS710

4 Light System Two stainless steel Micro 400s and two rear lighthead options

SYSTEM 410

with 400 Series Lightheads

SYS410A	Warning
SYS410B	Warning and brake/tail/turn
SY5410D	Warning, brake/tail/turn, and back-up



SYSTEM 710

with 700 Series Lightheads

51	YS710A	Warning	
51	YS710B	Warning and brake/tail/turn	
51	YS710D	Warning, brake/tail/turn, and	back-up



WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.



SmartLogic[™] Programmable Flasher

Engineered to maintain situational awareness of the operator, the SmartLogic Programmable Flasher houses numerous innovative technologies that deliver highly effective visual warning.

- Housed in a junction box for ease of mounting, along with wiring and connection protection
- Software is configurable via USB port
- All 8 outputs are internally protected and fused
 - Each solid-state output is rated for 5 amps
- 8 inputs
 - 5 activating inputs
 - 3 non-activating inputs for low power, photocell, and brake/tail/turn cut-off
- Default flash pattern
- LED onboard diagnostic indicators signify active outputs and blown fuses
- Day and night mode truck set-ups



SnowAway[™] Heated Lens System

Introducing industry-first technology for preventing snow build up on rear corner post lights in most conditions.

- Tempered glass heats uniformly and keeps lenses at 45° F in most conditions
- Switches on automatically when the temperature drops below 40° F, providing zero operator involvement
- LED indicator light in the cab automatically notifies operator that the system is on or off
- On/Off switch located in the cab allows operator to manually control the system if needed
- Tempered glass uses between 1-4 amps (colder temperature increases amp draw)
- Housing and lens design accommodates three lightheads
- 14 gauge wire included

H4OOSD	400 Series Heated Lens System
H4OOVD	400 V-Series [™] Heated Lens System



NOTE: Municipal lighting system sold separately. Option includes heated lens system only. Works with following system models: SYS401D, SYS402D, SYS404D, SYS405D, SYS406D and SYS410D





400 Series Super-LED® Back-Up Light

The 400 Series Super-LED Back-Up Light provides high intensity work zone illumination to increase operator and workforce safety.

- Downward ground illumination optics
- Available in horizontal or vertical mount
- Mounts into 400 Series housings
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals

SUB40BUH Substitute (2) 400 Horiz Back-ups for Vert



*Standard Option

400 V-Series™

Dual purpose optics provide maximum rear corner post warning for all dump body positions.

- SAE Class 1 Certified
- Single color warning utilizing linear technology placed in both directions
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals
- Vibration, moisture, and corrosion resistant
- Mounts vertically into stainless steel housing
- · Works in conjunction with current flasher models
- Conformal coated PC boards
- 12" pigtail with Deutsch® waterproof connector and strain relief

SUB4V400 Substitute (2) Amber 400VV for 400 Linear Warning







Municipal Options



Switch Control Panels

- Compact rocker style single pole/single throw switches
- · Black epoxy-finished steel housing
- · Individual spade-type fuses conveniently located on rear mounted fuse strip
- Active LED indicators light up to indicate function in use
- · Ignition controlled backlighted legend windows for easy visibility in any light
- · Backlight circuit can be connected to vehicle dimmer switch to control backlight intensity
- 72 commonly used press-on switch function label legend tabs
- 25 amps peak

PCC4W	Four 25 amp switches. 2-1/4" (57mm) H x 3" (76mm) W x 4" (102mm) D
PCC6W	Six 25 amp switches. 2-1/4" (57mm) H x 6" (152mm) W x 3-9/16" (91mm) D



Cast aluminum brush guard for one beacon.

TIR3[™] Super-LED[®] Lighthead Add visibility with a TIR3 lighthead mounted to the side

Add visibility with a TIR3 lighthead mounted to the side of a 400 or 700 Series housing, providing 90° of warning light coverage. Offered in pairs.

ADD4TIR3	400 Series	
ADD7TIR3	700 Series	



L360BGB

L31 Branch Guard

WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.



Pioneer Micro™

- Die-cast aluminum Black powder coated housing
- Powder coated stainless steel bail bracket with 3/8" stud carriage bolt mount
- · Optic lens changes easily via four screws in picture frame fixture
- Includes three additional lenses:
 - Flood lens with 90° x 20° wide optics
 - Flood lens with 40° x 20° optics
 - Flood lens with 40° x 8° horizontal optics
- 12 VDC

MPBB	Pioneer Micro	
МРВВА	Pioneer Micro, Amber	



Wing Plow[™] Lighting Systems • Two styles of Amber lightheads provide complete

- coverage whether snowplow wing is in the operation position or in the stowed travel position
- · Pairs can be synchronized for alternating or simultaneous flashing
- Fully encapsulated for vibration, moisture, and corrosion resistance

WPLOWЗАА	TIR3 [™] light modules
WPLOW1A	Wing Plow Operating Amber TIR3
WPLOWZ1A	Wing Plow Operating Amber LINZ6™
WPLOW2A	Wing Plow Stowed Amber TIR3
WPLOWZ2A	Wing Plow Stowed Amber LINZ6
WPLOWZ3A	LINZ6 light modules



Photocell

Photocell option for Hi/Low power, includes Black flange

LCPHOTO



PAR-36 Work Light

- Combination spot/floodlight with rubber housing and stainless steel swivel bracket and hardware
- Polycarbonate outer lens resists scratches and UV damage
- Reverse polarity protected

P36SLCHG PAR-36



Cable Lengths

Substitute 45' or 30' cables for standard 60' cables. Offered in single or pairs.

SUBF4C45	Pair, 45'	
SUBF4C30	Pair, 30'	
SUBF2C45	Single, 45'	
SUBF2C30	Single, 30'	
SUBR2C45	Substitute 45' 2/C Rear Cable	
SUBR5C45	Substitute 45' 5/C Rear Cable	



WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

NASCAR®

Whelen has supported NASCAR and its grass roots racing series for over 25 years. Whelen sponsors the Whelen All-American Series, the Whelen Euro Series, and the Whelen Modified Tour. Additionally, Whelen is proud to provide the Official Warning Lights of NASCAR.



OFFICIAL WARNING LIGHTS OF NASCAR

255 CEI

| 15





51 Winthrop Road Chester, CT 06412-0684 860-526-9504 www.whelen.com

ISO 9001 Registered QMS

Distributed by:



Whelen Engineering reserves the right to upgrade and improve products without notice. NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc. © 2020 Whelen Engineering Company, Inc. Printed in U.S.A. Code No. 11355H - 01/31/2020



OFFICIAL WARNING LIGHTS OF NASCAR